



National Nutrient Database for Standard Reference
Release 28 slightly revised May, 2016

Full Report (All Nutrients) 09021, Apricots, raw

Report Date: May 22, 2017 02:16 EDT

Nutrient values and weights are for edible portion.

Food Group : Fruits and Fruit Juices

Common Name: Includes USDA commodity food A386

Carbohydrate Factor: 3.6 Fat Factor: 8.37 Protein Factor: 3.36 Nitrogen to Protein Conversion Factor: 6.25

Refuse:7% Refuse Description: Pits

Nutrient	Unit	1			1 cup, halves 155g	1 cup, sliced 165g	1 apricot 35g
		Value Per 100 g	Data points	Std. Error			
Proximates							
Water	g	86.35	26	--	133.84	142.48	30.22
Energy	kcal	48	--	--	74	79	17
Energy	kJ	201	--	--	312	332	70
Protein	g	1.40	22	0.336	2.17	2.31	0.49
Total lipid (fat)	g	0.39	5	0.170	0.60	0.64	0.14
Ash	g	0.75	32	0.054	1.16	1.24	0.26
Carbohydrate, by difference	g	11.12	--	--	17.24	18.35	3.89
Fiber, total dietary ^{3 4}	g	2.0	5	0.408	3.1	3.3	0.7
Sugars, total	g	9.24	--	--	14.32	15.25	3.23
Sucrose ^{1 2 3}	g	5.87	7	0.659	9.10	9.69	2.05
Glucose (dextrose) ^{1 2 3}	g	2.37	7	0.553	3.67	3.91	0.83
Fructose ^{1 2 3}	g	0.94	7	0.271	1.46	1.55	0.33
Lactose	g	0.00	--	--	0.00	0.00	0.00
Maltose ¹	g	0.06	1	--	0.09	0.10	0.02
Galactose	g	0.00	--	--	0.00	0.00	0.00
Minerals							
Calcium, Ca ^{5 6 7 8 9 10 11 12}	mg	13	21	1.071	20	21	5
Iron, Fe ^{5 6 7 8 9 10 11 12}	mg	0.39	21	0.018	0.60	0.64	0.14
Magnesium, Mg ^{5 6 7 8 9 10 11 12}	mg	10	21	0.233	16	16	4

Nutrient	Unit	1 Value Per100 g	Data points	Std. Error	1 cup, halves 155g	1 cup, sliced 165g	1 apricot 35g
Phosphorus, P 5 6 7 8 9 10 11 12	mg	23	21	0.424	36	38	8
Potassium, K 5 6 7 8 9 10 11 12	mg	259	21	4.464	401	427	91
Sodium, Na	mg	1	18	0.036	2	2	0
Zinc, Zn 5 6 7 8 9 10 11 12	mg	0.20	21	0.011	0.31	0.33	0.07
Copper, Cu 5 6 7 8 9 10 11 12	mg	0.078	21	0.006	0.121	0.129	0.027
Manganese, Mn 5 6 7 8 9 10 11 12	mg	0.077	21	0.002	0.119	0.127	0.027
Selenium, Se 5 6 7 8 9 10 11 12	µg	0.1	21	0.089	0.2	0.2	0.0
Vitamins							
Vitamin C, total ascorbic acid	mg	10.0	4	0.161	15.5	16.5	3.5
Thiamin	mg	0.030	--	--	0.046	0.050	0.011
Riboflavin	mg	0.040	--	--	0.062	0.066	0.014
Niacin	mg	0.600	--	--	0.930	0.990	0.210
Pantothenic acid	mg	0.240	--	--	0.372	0.396	0.084
Vitamin B-6	mg	0.054	1	--	0.084	0.089	0.019
Folate, total	µg	9	4	1.450	14	15	3
Folic acid	µg	0	--	--	0	0	0
Folate, food	µg	9	4	1.450	14	15	3
Folate, DFE	µg	9	--	--	14	15	3
Choline, total	mg	2.8	--	--	4.3	4.6	1.0
Vitamin B-12	µg	0.00	--	--	0.00	0.00	0.00
Vitamin B-12, added	µg	0.00	--	--	0.00	0.00	0.00
Vitamin A, RAE 13 14 15	µg	96	8	31.927	149	158	34
Retinol	µg	0	--	--	0	0	0
Carotene, beta 13 14 15	µg	1094	8	346.051	1696	1805	383
Carotene, alpha 13 14 15	µg	19	8	10.693	29	31	7
Cryptoxanthin, beta 13 14 15	µg	104	8	64.178	161	172	36
Vitamin A, IU 13 14 15	IU	1926	8	638.531	2985	3178	674
Lycopene	µg	0	--	--	0	0	0
Lutein + zeaxanthin 14 15	µg	89	2	--	138	147	31
Vitamin E (alpha-tocopherol)	mg	0.89	--	--	1.38	1.47	0.31
Vitamin E, added	mg	0.00	--	--	0.00	0.00	0.00
Vitamin D (D2 + D3)	µg	0.0	--	--	0.0	0.0	0.0
Vitamin D	IU	0	--	--	0	0	0

Nutrient	Unit	1			1 cup, halves 155g	1 cup, sliced 165g	1 apricot 35g
		Value Per 100	Data points	Std. Error			
Vitamin K (phylloquinone) ¹⁶	µg	3.3	1	--	5.1	5.4	1.2
Lipids							
Fatty acids, total saturated	g	0.027	--	--	0.042	0.045	0.009
4:0	g	0.000	--	--	0.000	0.000	0.000
6:0	g	0.000	--	--	0.000	0.000	0.000
8:0	g	0.000	--	--	0.000	0.000	0.000
10:0	g	0.000	--	--	0.000	0.000	0.000
12:0	g	0.000	--	--	0.000	0.000	0.000
14:0	g	0.000	--	--	0.000	0.000	0.000
16:0	g	0.024	4	--	0.037	0.040	0.008
18:0	g	0.003	4	--	0.005	0.005	0.001
Fatty acids, total monounsaturated	g	0.170	--	--	0.264	0.281	0.060
16:1 undifferentiated	g	0.000	--	--	0.000	0.000	0.000
18:1 undifferentiated	g	0.170	4	--	0.264	0.281	0.060
20:1	g	0.000	--	--	0.000	0.000	0.000
22:1 undifferentiated	g	0.000	--	--	0.000	0.000	0.000
Fatty acids, total polyunsaturated	g	0.077	--	--	0.119	0.127	0.027
18:2 undifferentiated	g	0.077	4	--	0.119	0.127	0.027
18:3 undifferentiated	g	0.000	--	--	0.000	0.000	0.000
18:4	g	0.000	--	--	0.000	0.000	0.000
20:4 undifferentiated	g	0.000	--	--	0.000	0.000	0.000
20:5 n-3 (EPA)	g	0.000	--	--	0.000	0.000	0.000
22:5 n-3 (DPA)	g	0.000	--	--	0.000	0.000	0.000
22:6 n-3 (DHA)	g	0.000	--	--	0.000	0.000	0.000
Fatty acids, total trans	g	0.000	--	--	0.000	0.000	0.000
Cholesterol	mg	0	--	--	0	0	0
Phytosterols	mg	18	--	--	28	30	6
Amino Acids							
Tryptophan	g	0.015	12	--	0.023	0.025	0.005
Threonine	g	0.047	12	--	0.073	0.078	0.016
Isoleucine	g	0.041	12	--	0.064	0.068	0.014
Leucine	g	0.077	12	--	0.119	0.127	0.027
Lysine	g	0.097	12	--	0.150	0.160	0.034

Nutrient	Unit	1			1 cup, halves 155g	1 cup, sliced 165g	1 apricot 35g
		Value Per 100 g	Data points	Std. Error			
Methionine	g	0.006	12	--	0.009	0.010	0.002
Cystine	g	0.003	12	--	0.005	0.005	0.001
Phenylalanine	g	0.052	12	--	0.081	0.086	0.018
Tyrosine	g	0.029	12	--	0.045	0.048	0.010
Valine	g	0.047	12	--	0.073	0.078	0.016
Arginine	g	0.045	12	--	0.070	0.074	0.016
Histidine	g	0.027	12	--	0.042	0.045	0.009
Alanine	g	0.068	12	--	0.105	0.112	0.024
Aspartic acid	g	0.314	12	--	0.487	0.518	0.110
Glutamic acid	g	0.157	12	--	0.243	0.259	0.055
Glycine	g	0.040	12	--	0.062	0.066	0.014
Proline	g	0.101	12	--	0.157	0.167	0.035
Serine	g	0.083	12	--	0.129	0.137	0.029
Other							
Alcohol, ethyl	g	0.0	--	--	0.0	0.0	0.0
Caffeine	mg	0	--	--	0	0	0
Theobromine	mg	0	--	--	0	0	0
Flavonoids							
Flavan-3-ols							
(+)-Catechin 21 22 23 24 25 26	mg	3.7	42	0.46	5.7	6.1	1.3
(-)-Epigallocatechin 21 22	mg	0.0	7	0	0.0	0.0	0.0
(-)-Epicatechin 21 22 23 24 25 26	mg	4.7	42	0.6	7.3	7.8	1.7
(-)-Epicatechin 3-gallate 21 22	mg	0.0	7	0	0.0	0.0	0.0
(-)-Epigallocatechin 3-gallate 21 22	mg	0.0	7	0	0.0	0.0	0.0
(+)-Gallocatechin 21 22	mg	0.0	7	0	0.0	0.0	0.0
Flavones							
Apigenin 27 28	mg	0.0	2	--	0.0	0.0	0.0
Luteolin 27 28	mg	0.0	2	--	0.0	0.0	0.0
Flavonols							
Kaempferol 23 24 25 27 28 29	mg	0.6	33	0.08	1.0	1.0	0.2
Myricetin 27 28 29	mg	0.0	3	0	0.0	0.0	0.0
Quercetin 23 24 25 27 28 29 30	mg	1.6	34	0.2	2.5	2.7	0.6

Nutrient	Unit	1 g	Value Per100	Data points	Std. Error	1 cup, halves 155g	1 cup, sliced 165g	1 apricot 35g
Daidzein ^{31 32}	mg		0.00	2	--	0.00	0.00	0.00
Genistein ^{31 32}	mg		0.00	2	--	0.00	0.00	0.00
Total isoflavones ^{31 32}	mg		0.00	2	--	0.00	0.00	0.00
Proanthocyanidin								
Proanthocyanidin dimers ^{17 18 19 20}	mg		9.4	68	4.13	14.5	15.5	3.3
Proanthocyanidin trimers ^{17 19 20}	mg		12.4	62	5.51	19.2	20.5	4.3
Proanthocyanidin 4-6mers ¹⁹	mg		4.9	2	--	7.6	8.1	1.7
Proanthocyanidin 7-10mers ¹⁹	mg		2.2	2	--	3.4	3.6	0.8
Proanthocyanidin polymers (>10mers) ¹⁹	mg		0.8	2	--	1.2	1.3	0.3

Sources of Data

¹C. Y. Lee Free sugars in fruits and vegetables, 1970 Food Science and Technology 1

²R.B. H. Wills Nutrient composition of stone fruit (*Prunus spp.*) cultivars: apricot, cherry, nectarine, peach and plum, 1983 J Sci Food Agric 34 pp.1383-1389

³Nutrient Data Laboratory, ARS, USDA Investigation of the carbohydrate fraction of foods . . . raw, processed and prepared, 1985 Beltsville MD

⁴J Marlett, N Vollendorf Dietary fiber content and composition of different forms of fruits, 1994 Food Chemistry 51 pp.39-44

⁵Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1995

⁶Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1996

⁷Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1997

⁸Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1998

⁹Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1999

¹⁰Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1992

¹¹Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1993

¹²Food and Drug Administration (FDA), DHHS FDA Total Diet Study, 1994

¹³J L Bureau, R J Bushway HPLC determination of carotenoids in fruits and vegetables in the United States, 1986 J Food Sci 52 pp.128-130

¹⁴D.J. Hart, K.J. Scott Development and evaluation of an HPLC method for the analysis of carotenoids in foods, and the measurement of the carotenoid content of vegetables and fruits commonly consumed in the UK, 1995 Food Chemistry 54 pp.101-111

¹⁵H. Muller Determination of the carotenoid content in selected vegetables and fruit by HPLC and photoiodide array detection, 1997 Z. Lebensm Unters Forsch A 204 pp.88-94

¹⁶S.L. Booth, J.A. Sadowski, J.A. T. Pennington Phylloquinone (Vitamin K) Content of Foods in the U.S. Food and Drug Administration's Total Diet Study, 1995 Journal of Agricultural and Food Chemistry 43 6 pp.1574-1579

¹⁷de Pascual-Teresa, S., Santos-Buelga, C., and Rivas-Gonzalo, J.C. Quantitative analysis of flavan-3-ols in Spanish foodstuffs and beverages, 2000 J. Agric. Food Chem. 48 pp.5331-5337

¹⁸Dragovic-Uzelac, V., Levaj, B., Mrkic, V., Bursac, D., and Boras, M. The content of polyphenols and carotenoids in three apricot cultivars depending on stage of maturity and geographical region, 2007 Food Chem. 102 pp.966-975

¹⁹Gu, L., Kelm, M.A., Hammerstone, J.F., Beecher, G., Holden, J., Haytowitz, D., Gebhardt, S., and Prior, R.L. Concentrations of proanthocyanidins in common foods and estimations of normal consumption, 2004 J. Nutr. 134 pp.613-617

²⁰Ruiz, D., Egea, J., Gil, M., and Tomás-Barberán, F.A. Characterization and quantitation of phenolic compounds in new apricot (*Prunus armeniaca L.*) varieties, 2005 J. Agric. Food Chem. 53 pp.9544-9552

²¹Arts, I. C. W., van de Putte, B., and Hollman, P. C. H. Catechin content of foods commonly consumed in the Netherlands. 1. Fruits, vegetables, staple foods and processed foods., 2000 J. Agric. Food Chem. 48 pp.1746-1751

²²de Pascual-Teresa, S., Santos-Buelga, C., & Rivas-Gonzalo, J.C. Quantitative analysis of flavan-3-ols in Spanish foodstuffs and beverages., 2000 J. Agric. Food Chem. 48 pp.5331-5337

²³Dragovic-Uzelac, V., Delonga, K., Levaj, B., Djakovic, S., and Pospisil, J. Phenolic profiles of raw apricots, pumpkins, and their purees in the evaluation of apricot nectar and jam authenticity., 2005 J. Agric. Food Chem. 53 pp.4836-4842

²⁴Dragovic-Uzelac, V., Pospisil, J., Levaj, B., and Delonga, K. The study of phenolic profiles of raw apricots and apples and their purees by HPLC for the evaluation of apricot nectars and jams authenticity., 2005 Food Chemistry 91 pp.373-383

²⁵Dragovic-Uzelac, V., Levaj, B., Mrkic, V., Bursac, D., Boras, M. The content of polyphenols and carotenoids in three apricot cultivars depending on stage of maturity and geographical region., 2007 Food Chemistry 102 pp.966-975

²⁶Tsanova-Savova, S., Ribarova, F., and Gerova, M. (+)-Catechin and (-)-Epicatechin in Bulgarian fruits., 2005 J. Food Comp. Anal. 18 pp.691-698

²⁷Hertog, M. G. L., Hollman, P. C. H., and Katan, M. B. Content of potentially anticarcinogenic flavonoids of 28 vegetables and fruits commonly consumed in The Netherlands., 1992 J. Agric. Food Chem. 40 pp.2379-2383

²⁸Lugasi, A. and Hovari, J. **Flavonoid aglycons in foods of plant origin II. Fresh and dried fruits.**, 2002 Acta Alimentaria 31 1 pp.63-71

²⁹Kevers, C., Falkowski, M., Tabart, J., Defraigne, J.-O., Dommes, J., and Pincemail, J. **Evolution of antioxidant capacity during storage of selected fruits and vegetables**, 2007 J. Agric. Food Chem. 55 pp.8596-8603

³⁰Justesen, U., Knuthsen, P., and Leth, T. **Quantitative analysis of flavonols, flavones, and flavonones in fruits, vegetables and beverages by high-performance liquid chromatography with photo-diode array and mass spectrometric detection.**, 1998 J. Chromatogr. A 799 pp.101-110

³¹Horn-Ross, P. L., Barnes, S., Lee, M., Coward, L., Mandel, E., Koo, J., John, E. M., and Smith, M. **Assesing phytoestrogen exposure in epidemiologic studies: development of a database (United States)**, 2000 Cancer Causes and Control 11 pp.289-298

³²Liggins, J., Bluck, L. J. C., Runswick, S., Atkinson, C., Coward, W. A., Bingham, S. A. **Daidzein and genistein content of fruits and nuts**, 2000 J. Nutr. Biochem. 11 pp.326-331